PROCESSING COPY

INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

	S-E-U-1	1-E-T			25X1
COUNTRY	Hungary		REPORT		
SUBJECT	Development of Anti-Tank Rockets	at	DATE DISTR.		20 February 1957
	the Muszertechnikai Vallalat, Budapest		NO. PAGES	3	
			REQUIREMENT NO.	RD	
DATE OF		(REFERENCES		
INFO.					25 X 1
PLACE & DATE ACQ.					20/(1
	SOURCE EVALUATIONS ARE DEFINITIVE.	APPR	AISAL OF CONTEN	T IS TE	NTATIVE.

²⁵X1

- 1. During the early part of 1953, research into anti-tank rockets was started at the Muszertechnikai Vallalat (Military Research Center), Nagy Lajos Király Utja 167, Budapest. During the following two years efforts were made to produce and perfect three different sizes of anti-tank rockets, the 68 mm., 94 mm., and 120 mm. The 68 mm. Rocket, known as a "tank-destroying grenade" was an infantry weapon weighing two and one-half kilograms. The projector tube weighed from seven to seven and one-half kilograms. (Attached is a drawing, from a rough sketch, of the 86 mm. Rocket.)
- 2. The drawings and specifications for these were received from the Institute of Military Technical Planning (Haditechnikai Intezet, Szilagyi Erzsebet Fasor) Budapest. It was the Research Center's task to produce the required prototypes
- 3. The missile itself was based on the Bazooka type of rocket (Panzerfaust), but the projector, or launcher, was an original Hungarian design. Examples of American projectors had, however, been made available to the Hungarian experts for study.
- 4. Tests and continuous alterations were made until a degree of accuracy had been reached, enabling successive shots to be placed on a square 2 m.x 2 m.at a range of 500 meters. This was the effective range of the 68 mm. rocket.
- 5. Originally, an aluminium—alloy head was used together with fins of the same material. This was damaged too easily and had to be replaced by steel. The only aluminium alloy used in the final version was that in the shaft holding the rocket propellant and around the rear orifice. The aluminium alloy was known as FC-1.
- 6. The steel used in the head (Points A-B on the attached drawing) was one millimeter thick, as was that used in the funnel-shaped part BCJ. The walls of the head (Points B-D) were one and one-half millimeter. Maximum tolerances were plus or minus one-tenth of a millimeter. The alloy tube for the propellant material was two and one-half millimeters thick, also with a tolerance of plus or minus one-tenth of a millimeter. This had to withstand the pressure of 350 kilograms per square centimeter generated by the propellant.

				S-E-C-R-E-T			•	25 X 1
STATE	X ARMY	X NAVY	XAIR	Х ЕВІ	AEC			
(Note: Wa	shington distribution	indicated by "X"; F	ield distribution by	"#".)		· · · · · · · · · · · · · · · · · · ·		

INFORMATION REPORT INFORMATION REPORT

S-E-C-R-E-T

- 2 -

- 7. The propellant used was in the shape of six thin rods. These were ignited by means of a cap housed in a bakelite plug inserted in the rear of the propellant-tube (Point H on drawing). The gases formed pushed out the cap to the rear of the launcher immediately on firing. The orifice through which the gases emerged (Point G) was 7.3 mm. in diameter, with a tolerance of plus or minus .05 mm. The gases generated were sufficient to propel the rocket on the first three to five hundred meters of its flight.
- 8. The overall length of the rocket was about 420 mm. The final angle of the funnel (Points BCJ on drawing) was 70 degrees, but experiments had previously been made to see if angles such as 50 degrees or 90 degrees would be suitable.
- 9. The explosive chamber (Points BCED) was filled with Nitropent. This was ignited by the detonator (Point E) which was itself ignited by the blow-back of flames from the fuse (Point A). Before firing the safety plug (Point K) had, of course, to be withdrawn. The space between the fuse and the explosive (Points ABCJ) was empty.
- 10. The launching-tube for this rocket was about 2 meters long. In diameter it was slightly larger than 68 mm., as the rocket actually slid along the tube on three ridges which ran along the inside. They were straight, not spiralled (Crosssection at L, not to scale).
- 11. Production of the cases for these rockets, both steel and aluminium parts, was carried out at the following factories:
 - a. Csepel Iron and Steel Factory, formerly the Matyas Rakosi Works.
 - b. Zugloi Aluminium Gyár, Erzsébet Királyné Ut, Budapest.
 - c. Felnemet near Eger.

Fuses were produced at the Fehérvári Mechanikai Müvek, formerly Vadasztolteny, at Székesfehérvár. The rockets were filled with explosives at factories at Törökbalint (20 kilometers from Budapest and near Lake Balaton) and at Füzfö, also near Lake Balaton.

- 12. The 94 mm. and 120 mm. were similar in design to the 68 mm. It was found, however, that due to the pressure generated by the propellant gases, the 2.5 mm. aluminium alloy used in the shaft of the smaller rocket had to be replaced by steel 1.2 mm. thick.
- 13. The effectiveness of the 94 mm. rocket was such that it could pierce armour plate 270 mm. thick. The resultant hole, though quite wide on the outside of the armour plate, tapered down to 14 mm. on the inside. Nothing is known of the effectiveness of the other calibers.


E-C-R-E-T

25X1

25X1

		•			,	
•	• •		S-E	-C-R-E-T		OEV.
		. [25 X 1
			_			
			- 3 ·	-		
14.	engaged in producing the Institute of Military To those who visited the In with keeping an eye on p efforts. However, samp the Soviet Union. In the	ese rocket echnical P nstitute w production les of the he case of ainted kha	clanning, whitere by no me targets and prototypes these rocke ki and stamp	n Soviets ich had p eans expe d urging of each ets half ped with	nikai Vallalat while it was swere represented in the provided the specifications, erts and were concerned solel the Hungarians to greater item were always sent to of the prototypes produced details written in Russian.	-y
						25X′
						-
			S-E-C-R-E-T			OEV4
						25 X 1
					•	

Sanitized Copy Approved for Release 2010/02/22 : CIA-RDP80T00246A032700090001-9



25X1

